

22 Log Store

Instruction Manual



22 Instruction Manual

Parts

2 Side panels


1 Roof panel

1 Bottom panel

1 Rear panel

1 Shelf

Tools required: **Screwdriver.**



Treatment.

Tanalised pressure treated buildings come to you in a light green colour. Whilst your pressure treated building will give you an extended life compared to non-pressure treated it is still beneficial to apply your own choice of good quality long life preservative or stain. The light green colouration can be stained over in your own choice of preservative.

Assembly Completion Checklist.


1. Sand down any raised grain or splinters using fine sand paper.
2. Check all screws and nails are properly tapped home and are not proud of the timber surface.
3. DO NOT apply decorative wood finish/treatments to wet/damp timber.

We are constantly improving and updating the quality of our products and as such some components may differ from those shown. We reserve the right to change the specification of our products without prior notice.

Assembly

Place the floor section on a level surface. Take one side panel and the corresponding rear panel. Position them at the corner of the floor section so that cladding is overhanging the floor section. Then screw the internal framework of the side and rear panels together at the top, middle and bottom using the 60mm screws provided. Repeat for both side panels.

Next, screw through the bottom length of framing on all of the side and rear panels into the floor panel to secure it.



Position the roof, so that it's framework fits neatly against the side panels framework and again screw together from above ensuring that it is square.

Finally, position the shelf at the desired height and from the outside of the store screw through the side panels into the shelf to secure in place.

6. Further Treatment

It is generally recommended to allow 30 days before painting or staining pressure treated timber. If the timber is not sufficiently dry, it can cause shrinkage and mould issues in the future.



If you have any questions or queries during the assembly of your building please contact us:



Helpline: 01384 897257

Opening hours: Monday – Friday 9am – 4.30pm



Scan the QR code above or visit

www.empiresheds.co.uk